
## TYPE "PAV" WHEEL

GREY HD POLYPROPYLENE


The circular spacer **PAV** is a patented and innovative product to resolve problems connected with the laying of spacers for electrically welded mesh, using rods of different diameter Ø 4-6-8-10-12 mm and thereby avoiding the purchase of other types of spacers for iron with larger diameter.





GREY HD POLYPROPYLENE nack 2000 Pcs

Article	Formwork spacer mm	Ø rod mm		
PPV 10	10	4/8		1
PPV 15	15	4/8		





**GREY HD POLYPROPYLENE** 

pack. 1000 Pcs

Article	Formwork spacer mm	Ø rod mm	
PPV 20	20	4/8	
PPV 25	25	4/12	
PPV 30	30	4/12	

## GREY HD POLYPROPYLENE

pack. 500 Pcs

Article	Formwork spacer mm	Ø rod mm	
PPV 40	40	8/16	
PPV 50	50	8/16	

NEW PATENTED UNIVERSAL MODEL FOR RODS Ø 4/12 MM. THE ADVANTAGES OF THE NEW PAV RANGE ARE AS FOLLOWS:

**1st** The only universal spacer for 4 to 12 mm rods.

2nd Easy to insert.

**3rd** Innovative and technical design.

## TYPE "PAU" **TOWER**

**GREY HD POLYPROPYLENE** 

The universal spacer **PAU** can be used either horizontally or vertically. Strong and resistant, it can bear heavy loads and is easy to fit. Recommended for cross application of wires in electro-welded or welded meshes.





**GREY HD POLYPROPYLENE** 

pack. 4000 Pcs (PPU 10) - pack. 3000 Pcs (PPU 15)

Article	Formwork spacer mm	Ø rod mm	
PPU 10	10	4/12	
PPU 15	15	4/12	

## **GREY HD POLYPROPYLENE**

pack. <b>1000 Pcs</b>			
Article	Formwork spacer mm	Ø rod mm	
PPU 30	30	4/12	
PPU 40	40	4/12	

NEW PATENTED UNIVERSAL MODEL FOR RODS Ø 4/12 MM. THE ADVANTAGES OF THE NEW PAV RANGE ARE AS FOLLOWS:
1st. The only universal spacer for 4 to 12 mm rods.

2nd Easy to insert.

3rd innovative and technical design.



**GREY HD POLYPROPYLENE** 

pack. 2000 Pcs

Article	Formwork spacer mm	Ø rod mm	
PPU 20	20	4/12	
PPU 25	25	4/12	

